



PRODUCT CATALOGUE

产品手册

WELM 威尔曼

江苏威尔曼科技有限公司
地址:江苏海安江海西路158号(工业园区)
电话:0513-88782019
传真:0513-88782028
邮箱:sale@welms.com.cn
官网:www.welms.com.cn



扫码添加公众号



扫码查看电子版手册

WELM 威尔曼
www.welms.com.cn



MAKE INTERACTION MORE INTELLIGENT

让交互更智慧

江苏威尔曼科技有限公司

JIANGSU WELM TECHNOLOGY CO.,LTD.

- 成立于2000年
 - 600多名员工
 - 专业从事智慧交互
 - 国家高新技术企业
 - 为客户提供人机界面、智能楼宇、多媒体、按钮等系列产品
 - 业务遍及亚洲、美洲、欧洲、非洲等多个国家和地区
- Established in 2000
 - More than 600 employees
 - Specialize in intelligent interactive solutions
 - The National High & New Tech Enterprise
 - Provide a series of products for clients such as human-machine interface, intelligent buildings, multimedia devices, buttons, etc
 - Develop business in Asia, America, Europe, Africa and many other countries and regions



三大服务 全面领先

COMPREHENSIVE LEADER IN THREE MAJOR SERVICES



全球化服务

GLOBAL SERVICE

- 提供符合全球标准的产品和服务
Deliver products and services that meet global codes

定制化服务

CUSTOMIZED SERVICE

- 为客户量身定做差异化的解决方案
Tailor differentiated solutions for customers

全产业链服务

FULL PRODUCTS SERVICE

- 整体的解决方案
Package solution on products and service
- 可追溯的全链式的产品服务
Traceability on the full chain service



CONTENTS

目录

1 #01 人机交互
Human-Machine Interaction

2 #19 按钮
Button

3 #27 到站灯
Hall Lantern

HUMAN-MACHINE INTERACTION

人机交互



GOLD SYLPH

金逸

金属窄边框与全玻璃面板的碰撞, 绚色触摸屏和感应按钮的结合, 精巧尺寸的设计, 将时尚与经典完美融合
The collision of the narrow metal frame and the full glass panel; the combination of the brilliant touch screen and the inductive buttons; the exquisite size--Perfect blend between fashion and classic


个性化界面, 提供多类型内容展示
Personalized interface with different kinds of contents

抗指纹处理技术应用
Nano-coating anti-fingerprint technology



WCOP-HTS0002-V

外形尺寸: 520mmx260mmx43.5mm
显示器: 15.6" 多媒体
登记方式: 触摸屏
面板材质: 钢化玻璃
Dimension: 520mmx260mmx43.5mm
Display: 15.6" Multimedia
Operating Type: Touch Screen
Surface Panel: Tempered Glass



WCOP-HTS0002-H

外形尺寸: 260mmx520mmx43.5mm
显示器: 15.6" 多媒体
登记方式: 触摸屏
面板材质: 钢化玻璃
Dimension: 260mmx520mmx43.5mm
Display: 15.6" Multimedia
Operating Type: Touch Screen
Surface Panel: Tempered Glass



WCOP-HTS0001

外形尺寸: 362mmx850mmx40.5mm
显示器: 23.6" 多媒体
登记方式: 触摸屏
面板材质: 钢化玻璃
Dimension: 362mmx850mmx40.5mm
Display: 23.6" Multimedia
Operating Type: Touch Screen
Surface Panel: Tempered Glass



WLOP-VTS0001

外形尺寸: 110mmx215mmx70.8mm
显示器: 7" 多媒体
登记方式: 触摸屏
面板材质: 钢化玻璃
Dimension: 110mmx215mmx70.8mm
Display: 7" Multimedia
Operating Type: Touch Screen
Surface Panel: Tempered Glass

BUSINESS SERIES

绚居

后现代风格, 呈现简洁、干净、规则的排布
Postmodern style with a simple, clean and regular layout

大屏多媒体触摸屏与感应按钮结合, 交互与视觉体验完美融合
Combination of a big touch screen and inductive buttons; perfect integration for interactive and visual experience

镜面材质大面积应用, 呈现更多的空间变幻
More mirror materials on the panel, more space changes



WCOP-SS0001

外形尺寸: Hx350mmx76mm
显示器: 15" TFT 竖屏
登记方式: 感应按钮
面板材质: 全钢化镜面玻璃
特色功能: 隐藏式司机盒

Dimension: Hx350mmx76mm
Display: 15" TFT Vertical
Operating Type: Inductive Touch Button
Surface Panel: Full Tempered Mirror Glass
Features: Hidden Attendant Box



WL0P-LS0002

外形尺寸: 360mmx160mmx49mm
显示器: 双4.3" 断码液晶
登记方式: 感应按钮
面板材质: 全钢化镜面玻璃

Dimension: 360mmx160mmx49mm
Display: Double 4.3" Segment LCD
Operating Type: Inductive Touch Button
Surface Panel: Full Tempered Mirror Glass



WCOP-FTS0001

外形尺寸: Hx290mmx46mm
显示器: 29" 多媒体
登记方式: 触摸屏
面板材质: 钢化玻璃+不锈钢

Dimension: Hx290mmx46mm
Display: 29" Multimedia
Operating Type: Touch Screen
Surface Panel: Tempered Glass+Stainless Steel



WL0P-DS0001

外形尺寸: 360mmx110mmx10.2mm
显示器: 点阵显示
登记方式: 感应按钮
面板材质: 钢化玻璃+塑料外壳

Dimension: 360mmx110mmx10.2mm
Display: Dot Matrix
Operating Type: Inductive Touch Button
Surface Panel: Tempered Glass + Plastic Frame

UNITY SERIES

舒居

IC卡身份识别技术应用
IC card identification technology

纳米涂层抗指纹技术应用
Nano-coating anti-fingerprint technology

LOP的15度倾斜提供更好的用户使用体验
The 15-degree tilt of LOP for a better experience to users

可提供个性化定制方案
Personalized and customizable solutions



WCOP-FS0001

外形尺寸: Hx230mmx35mm
显示器: 10.4" TFT
登记方式: 感应按钮
面板材质: 钢化玻璃+不锈钢

Dimension: Hx230mmx35mm
Display: 10.4" TFT
Operating Type: Inductive Touch Button
Surface Panel: Tempered Glass+ Stainless Steel



WL0P-LS0001

外形尺寸: 320mmx95mmx20.5mm
显示器: 4.3" 断码液晶
登记方式: 感应按钮
面板材质: 钢化玻璃
特色功能: 斜侧式外形设计

Dimension: 320mmx95mmx20.5mm
Display: 4.3" Segment LCD
Operating Type: Inductive Touch Button
Surface Panel: Tempered Glass
Features: Inclined Shape



WCOP-FM0001

外形尺寸: Hx230mmx35mm
显示器: 7" 断码液晶
登记方式: 机械按钮
面板材质: 钢化玻璃+不锈钢

Dimension: Hx230mmx35mm
Display: 7" Segment LCD
Operating Type: Mechanical Button
Surface Panel: Tempered Glass+Stainless Steel



WL0P-LM0001

外形尺寸: 320mmx95mmx20.5mm
显示器: 4.3" 断码液晶
登记方式: 机械按钮
面板材质: 钢化玻璃+不锈钢
特色功能: 斜侧式外形设计

Dimension: 320mmx95mmx20.5mm
Display: 4.3" Segment LCD
Operating Type: Mechanical Button
Surface Panel: Tempered Glass + Stainless Steel
Features: Inclined Shape




BLACK MIRROR

黑镜

COP个性化导航旋钮选层操作
Personalized COP navigation knob for floor selection

旋转旋钮选层,可实现其周边彩虹色带旋转;按压中间确认选层,彩虹色变为静止的冰湖蓝色
Knob to select a floor and wake the nearby rainbow ribbon; press to confirm the floor and a settled ice-lake blue instead of the rainbow comes forth

LOP整体小巧精致,实现多类型无接触呼梯
Compact and high-end LOP for touchless call in different forms



WCOP-HKB0001

外形尺寸: 350mmx200mmx50.1mm
显示器: 7" 多媒体
登记方式: 旋钮+感应按钮
面板材质: 钢化玻璃
特色功能: 旋钮方式选层

Dimension: 350mmx200mmx50.1mm
Display: 7" Multimedia
Operating Type: : Knob + Inductive Touch Button
Surface Panel: Tempered Glass
Features: Knob for Floor Selection



WLOP-NS0001

外形尺寸: 90mmx90mmx18mm
显示器: 无
登记方式: 感应按钮
面板材质: 钢化玻璃+塑料外壳
特色功能: 一键呼梯

Dimension: 90mmx90mmx18mm
Display: None
Operating Type: Inductive Touch Button
Surface Panel: Tempered Glass + Plastic Case
Features: One-key Landing Call



WLOP-NG0001

外形尺寸: 90mmx90mmx18mm
显示器: 无
登记方式: 手势识别+触摸按钮
面板材质: 钢化玻璃
特色功能: 手势呼梯功能

Dimension: 90mmx90mmx18mm
Display: None
Operating Type: Gesture Recognition + Touch Button
Surface Panel: Tempered Glass
Features: Gesture Landing Call Function



WA-V0002

外形尺寸: 90mmx90mmx18mm
显示器: 无
登记方式: 语音登记
面板材质: 钢化玻璃
特色功能: 语音呼梯功能

Dimension: 90mmx90mmx18mm
Display: None
Operating Type: Voice Recognition
Surface Panel: Tempered Glass
Features: Voice Landing Call Function

REGAL DIGNITY

俊都

全玻璃超薄面板设计，精巧尺寸，玻璃丝印大理石，品质无限

Full glass ultra-thin panel in compact size with glass silk screening marble to show best quality

纳米抗指纹技术应用
Nano-coating anti-fingerprint technology

感应触摸操作一体化
Integration of touch and induction

REGAL MANSION



WCOP-HS0001


外形尺寸：1200mmx200mmx40mm
显示器：7" 断码液晶
登记方式：感应按钮
面板材质：钢化玻璃
特色功能：玻璃喷绘工艺

Dimension: 1200mmx200mmx40mm
Display: 7" Segment LCD
Operating Type: Inductive Touch Button
Surface Panel: Tempered Glass
Features: Glass Spray-painting Process

WLOP-NS0002

外形尺寸：90mmx90mmx18mm
显示器：无
登记方式：感应按钮
面板材质：钢化玻璃
特色功能：一键呼梯

Dimension: 90mmx90mmx18mm
Display: None
Operating Type: Inductive Touch Button
Surface Panel: Tempered Glass
Features: One-key Landing Call





SILVER BLADE

银克

IC卡身份识别技术
IC card identification technology

金属触摸按钮
Metal touch button

纳米抗指纹技术应用
Nano-coating anti-fingerprint technology

颜色材质可定制
Customizable colors and materials

SILVER BLADE



WCOP-FT0001

外形尺寸: Hx230mmx27.5mm
显示器: 10.4" TFT
登记方式: 金属触摸按钮
面板材质: 不锈钢
特色功能: 不锈钢拼接+滴胶按钮工艺

Dimension: Hx230mmx27.5mm
Display: 10.4" TFT
Operating Type: Metal Touch Button
Surface Panel: Stainless Steel
Features: Stainless Steel Splicing + Epoxy Process

WLOP-LT0001

外形尺寸: 320mmx95mmx51mm
显示器: 4.3" 断码液晶
登记方式: 金属触摸按钮
面板材质: 钢化玻璃+不锈钢
特色功能: 不锈钢拼接+滴胶按钮工艺

Dimension: 320mmx95mmx51mm
Display: 4.3" Segment LCD
Operating Type: Metal Touch Button
Surface Panel: Tempered Glass + Stainless Steel
Features: Stainless Steel Splicing + Epoxy Process



DIAMOND SERIES

御居

整体简洁大方, 结实可靠
Simple and elegant, solid and reliable

具备高刚性, 高防水防尘性, 高阻燃等特性
Bunches of characteristics: high rigidty, good water resistance and dust resistance, and strong flame retardancy

适用于户外、消防等特殊环境
Suitable for special environments like outdoor infrastructure, fire protection, etc



WCOP-FM0002

外形尺寸: Hx230mmx40mm
显示器: 7" 断码液晶
登记方式: 机械按钮
面板材质: 不锈钢
特色功能: 满足IP55/EN81-70/71class2/72

Dimension: Hx230mmx40mm
Display: : 7"Segment LCD
Operating Type: Mechanical button
Surface Panel: Stainless Steel
Features: Meet requirements of IP55/EN81-70/71class2/72



WLOP-LM0002

外形尺寸: 315mmx95mmx20.5mm
显示器: 4.3 " 断码液晶
登记方式: 机械按钮
面板材质: 不锈钢
特色功能: 满足IP55/EN81-70/71class2/72

Dimension: 315mmx95mmx20.5mm
Display: 4.3"Segment LCD
Operating Type: Mechanical button
Surface Panel: Stainless Steel
Features: Meet requirements of IP55/EN81-70/71class2/72



WLOP-NM0002

外形尺寸: 210mmx100mmx53mm
登记方式: 机械按钮
面板材质: 不锈钢
特色功能: 满足IP55/EN81-70/71class2/72

Dimension: 210mmx100mmx53mm
Operating Type: Mechanical button
Surface Panel: Stainless Steel
Features: Meet requirements of IP55/EN81-70/71class2/72



WLIP-DW0001

外形尺寸: 100mmx220mmx50mm
登记方式: 点阵显示
面板材质: 不锈钢
特色功能: 满足IP55/EN81-70/71class2/72

Dimension: 100mmx220mmx50mm
Operating Type: Dot Matrix
Surface Panel: Stainless Steel
Features: Meet requirements of IP55/EN81-70/71class2/72



WCOPH-HM0002

外形尺寸: 230mmx700mmx40mm
登记方式: 机械按钮
面板材质: 不锈钢
特色功能: 满足IP55/EN81-70/71class2/72

Dimension: 230mmx700mmx40mm
Operating Type: Mechanical button
Surface Panel: Stainless Steel
Features: Meet requirements of IP55/EN81-70/71class2/72


REBIRTH SERIES

易居

新颖的弧度配上极简设计, 大按钮大显示方便老年人操作
Novel arc shape with simplistic design, large buttons and display for the elderly to operate

LOP独特的模块化设计, 提供多种搭配选择
Unique and modular LOP for a variety of matching options

壳体防静电干扰, IC卡识别灵敏度高
Anti-static case; IC card with high recognition sensitivity



WCOP-HM0001

外形尺寸: 1120mmx200mmx39.5mm
显示器: 断码显示
登记方式: 机械按钮
面板材质: 不锈钢


Dimension: 1120mmx200mmx39.5mm
Display: Segment
Operating Type: Mechanical Button
Surface Panel: Stainless Steel



WLPM-0001

面板材质: 不锈钢+亚克力
显示器: 断码显示
登记方式: 机械按钮
面板材质: 不锈钢+亚克力
特色功能: 模块化拼接方案

Surface Panel: Stainless Steel + Acrylic
Display: Segment
Operating Type: Mechanical Button
Surface Panel: Stainless Steel + Acrylic
Features: Modular splicing



WCOPH-HM0001

外形尺寸: 800mmx223mmx41.6mm
显示器: 断码显示
登记方式: 机械按钮
面板材质: 不锈钢

Dimension: 800mmx223mmx41.6mm
Display: Segment
Operating Type: Mechanical Button
Surface Panel: Stainless Steel



BUTTON

按钮



WBM-20SV01



外形尺寸:	41mmx41mmx20mm
登记方式:	机械按钮
发光颜色:	白光/红光
壳体材质:	锌合金
特色功能:	符合 IP55/ EN81-70/71-class2 /72要求

Dimension:	41mmx41mmx20mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red
Material:	Zinc Alloy
Features:	Meet requirements of IP55/EN81-70/71class2/72

WBM-20RV01



外形尺寸:	Φ41mmx20mm
登记方式:	机械按钮
发光颜色:	白光/红光
壳体材质:	锌合金
特色功能:	符合 IP55/ EN81-70/71-class2 /72要求

Dimension:	Φ41mmx20mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red
Material:	Zinc Alloy
Features:	Meet requirements of IP55/EN81-70/71class2/72

WBM-R021



外形尺寸:	Φ41mmx20mm
登记方式:	机械按钮
发光颜色:	白光/红光
壳体材质:	塑料+不锈钢圈

Dimension:	Φ41mmx20mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red
Material:	Plastic+Stainless Steel Frame

WBM-R100



外形尺寸:	Φ38.8mmx11.3mm
登记方式:	机械按钮
发光颜色:	白光/红光/蓝光
壳体材质:	塑料+不锈钢圈

Dimension:	Φ38.8mmx11.3mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Blue
Material:	Plastic+Stainless Steel Frame

WBB-17SV01



外形尺寸:	62mmx62mmx30mm
登记方式:	机械按钮
发光颜色:	白光/红光
壳体材质:	锌合金
特色功能:	符合 IP55/ EN81-70/71-class2 /72要求

Dimension:	62mmx62mmx30mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red
Material:	Zinc Alloy
Features:	Meet requirements of IP55/EN81-70/71class2/72

WBB-17RV01



外形尺寸:	Φ63mmx30mm
登记方式:	机械按钮
发光颜色:	白光/红光
壳体材质:	锌合金
特色功能:	符合 IP55/ EN81-70/71-class2 /72要求

Dimension:	Φ63mmx30mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red
Material:	Zinc Alloy
Features:	Meet requirements of IP55/EN81-70/71class2/72

WBB-S060



外形尺寸:	36.4mmx36.4mmx13mm
登记方式:	机械按钮
发光颜色:	白光/红光/橙光
壳体材质:	锌合金

Dimension:	36.4mmx36.4mmx13mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Orange
Material:	Zinc Alloy

WBB-R060



外形尺寸:	Φ44mmx13mm
登记方式:	机械按钮
发光颜色:	白光/红光/橙光
壳体材质:	锌合金

Dimension:	Φ44mmx13mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Orange
Material:	Zinc Alloy

WBM-S200



外形尺寸:	40mmx40mm
登记方式:	机械按钮
发光颜色:	白光/红光/蓝光
壳体材质:	锌合金+塑料

Dimension:	40mmx40mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Blue
Material:	Zinc alloy+ Plastic

WBM-R200



外形尺寸:	Φ35mm
登记方式:	机械按钮
发光颜色:	白光/红光/橙光
壳体材质:	锌合金+塑料

Dimension:	Φ35mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Orange
Material:	Zinc alloy+ Plastic

WBUT-MS0007



外形尺寸:	Φ33mm
登记方式:	机械按钮
发光颜色:	白光/红光
面板材质:	不锈钢+PC

Dimension:	Φ33mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red
Material:	Stainless Steel + PC

WBUT-MS0008



外形尺寸:	Φ40mm
登记方式:	机械按钮
发光颜色:	白光/红光
面板材质:	不锈钢+PC

Dimension:	Φ40mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red
Material:	Stainless Steel + PC

WBUT-ME0001



外形尺寸:	73mmx33mm
登记方式:	机械按钮
发光颜色:	白光/红光/橙光
面板材质:	不锈钢+亚克力

Dimension:	73mmx33mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Orange
Material:	Stainless Steel + Acrylic

WBUT-MS0006



外形尺寸:	140mmx40mm
登记方式:	机械按钮
发光颜色:	白光/红光/橙光
面板材质:	不锈钢+亚克力

Dimension:	140mmx40mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Orange
Material:	Stainless Steel + Acrylic

WBUT-MS0009



外形尺寸:	55mmx25mm
登记方式:	机械按钮
发光颜色:	白光/红光/橙光
面板材质:	不锈钢+PC

Dimension:	55mmx25mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Orange
Material:	Stainless Steel + PC

WBUT-MS0010



外形尺寸:	77.5mmx33mm
登记方式:	机械按钮
发光颜色:	白光/红光/橙光
面板材质:	不锈钢+亚克力

Dimension:	77.5mmx33mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Orange
Material:	Stainless Steel + Acrylic


WBUT-NS0001



外形尺寸:	35mmx35mm、Φ35mm
登记方式:	非接触感应
发光颜色:	白光/红光/橙光
面板材质:	亚克力
特色功能:	非接触式登记, 最大感应距离10~13mm

Dimension:	35mmx35mm、Φ35mm
Operating Type:	Touchless Induction
Illumination Color:	White/Red/Orange
Material:	Acrylic
Features:	Touchless register; Max. inductive distance: 10~13mm


WBUT-MS0004



外形尺寸:	40mmx40mm、Φ40mm
登记方式:	机械按钮
发光颜色:	白光/红光/橙光
面板材质:	不锈钢+亚克力

Dimension:	40mmx40mm、Φ40mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Orange
Material:	Stainless Steel + Acrylic

WBUT-MS0003



外形尺寸:	35mmx35mm、Φ35mm
登记方式:	机械按钮
发光颜色:	白光/红光/橙光
面板材质:	不锈钢+亚克力

Dimension:	35mmx35mm、Φ35mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Orange
Material:	Stainless Steel + Acrylic

WBUT-MS0005



外形尺寸:	50mmx50mm、Φ50mm
登记方式:	机械按钮
发光颜色:	白光/红光/橙光
面板材质:	不锈钢+亚克力+锌合金

Dimension:	50mmx50mm、Φ50mm
Operating Type:	Mechanical Button
Illumination Color:	White/Red/Orange
Material:	Stainless Steel + Acrylic+Zinc Alloy

HALL LANTERN

到站灯

2_F

INTEGRATED LANDING
INDICATOR HALL LANTERN

一体式层显到站灯

WHAL-AW0001

外形尺寸:	1194mmx110mm	Dimension:	1194mmx110mm
灯体材质:	钢化玻璃	Lantern Material:	Tempered Glass
安装方式:	嵌入式安装	Installation Method:	Flush-mounted
发光颜色:	可选	Illumination Color:	Optional

WHAL-AW0002

外形尺寸:	2350mmx120mm
灯体材质:	钢化玻璃+亚克力
安装方式:	嵌入式安装
发光颜色:	可选
Dimension:	2350mmx120mm
Lantern Material:	Tempered Glass + Acrylic
Installation Method:	Flush-mounted
Illumination Color:	Optional

FLOOR SIGNS
HALL LANTERN

楼层指示牌到站灯

WHAL-AW0003

外形尺寸:	1200mmx120mmx67mm
灯体材质:	不锈钢+亚克力
安装方式:	嵌入式安装
发光颜色:	可选
Dimension:	1200mmx120mmx67mm
Lantern Material:	Stainless Steel + Acrylic
Installation Method:	Flush-mounted
Illumination Color:	Optional

SMALL HALL LANTERN

小型到站灯

WHAL-AW0004



WHAL-AW0005



WHAL-AW0006



WHAL-AW0007



特征与功能 Characters & Functions

外形尺寸:	300mmx120mm/300mmx50mm
灯体材质:	不锈钢+亚克力
安装方式:	嵌入式安装
发光颜色:	可选

Dimension:	300mmx120mm/300mmx50mm
Lantern Material:	Stainless Steel + Acrylic
Installation Method:	Flush-mounted
Illumination Color:	Optional

SURFACE-MOUNTED HALL LANTERN

表贴式到站灯

WHAL-AS0001



外形尺寸:	350mmx180mmx29mm
灯体材质:	不锈钢+亚克力
安装方式:	表贴式安装
发光颜色:	可选

Dimension:	350mmx180mmx29mm
Lantern Material:	Stainless Steel + Acrylic
Installation Method:	Surface-mounted
Illumination Color:	Optional

WHAL-AS0002



外形尺寸:	245mmx100mmx29mm
灯体材质:	不锈钢+亚克力
安装方式:	表贴式安装
发光颜色:	可选

Dimension:	245mmx100mmx29mm
Lantern Material:	Stainless Steel + Acrylic
Installation Method:	Surface-mounted
Illumination Color:	Optional

WHAL-GS0001



外形尺寸:	267mmx104.5mmx18.2 mm
灯体材质:	玻璃+锌铝合金
安装方式:	表贴式安装
发光颜色:	可选

Dimension:	267mmx104.5mmx18.2 mm
Lantern Material:	Glass + Zn-Al Alloy
Installation Method:	Surface-mounted
Illumination Color:	Optional

WHAL-GS0002



外形尺寸:	360mmx90mmx14.3 mm
灯体材质:	亚克力+钢化玻璃
安装方式:	表贴式安装
发光颜色:	可选

Dimension:	360mmx90mmx14.3 mm
Lantern Material:	Acrylic + Tempered Glass
Installation Method:	Surface-mounted
Illumination Color:	Optional